Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	15	(identifi$6 id code identity) same (die dice wafer) same (camera optical vision) and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:36
L5	4	code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:38
L6	13	code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:43
L7	3	code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) same (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:43
L8	0	code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) same (location position) with (die dice) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:44
L9	4	code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) and (location position) with (die dice) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:51
L11	3	(2d dimension$4) near3 code same (identifi$6 id identity) same (die dice wafer) same (camera optical vision) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 09:52
S1	0	10/086051	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:04

S2	0	700/121 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S3	0	700/122 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S4	0	700/124 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S5	0	700/125 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S6	0	700/215 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S7	0	700/221 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S8	0	700/224 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S9	0	700/225 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:08
S10	0	700/228 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S11	0	700/229 and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09

S12	0	"700"/$ and track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:10
S13	0	track$4 near3 (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:10
S14	0	700/121 and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S15	0	700/122 and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S16	0	700/124 and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S17	0	700/125 and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:09
S18	38	(location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:10
S19	2	"700"/$ and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:10
S20	3	(location position) same die same strip same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:15
S21	0	(location position) same die near2 strip same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:15

S22	1	(location position) same die near2 strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:16
S23	9	(location position) with die with strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:19
S24	1	(location position) same die near3 strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:24
S25	480	(location position) same (die strip) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:25
S26	20	camera same (location position) same (die strip) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:25
S27	0	camera same code same (location position) same (die strip) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:25
S28	8	camera same code and (location position) same (die strip) same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:26
S29	0	camera same code and (location position) same die same strip same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:26
S30	0	camera same (location position) same die same strip same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:27
S31	0	code and camera same (location position) same die same strip same (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:26

S32	0	camera same (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:28
S33	4	camera and (location position) same die same strip and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:27
S34	209	camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:29
S35	9	"700"/$ and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:34
S36	7	"702"/$ and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:31
S37	1	"714"/$ and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:29
S38	5	"702"/$ and die and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:32
S39	9	"700"/$ and die and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:33
S40	1	"714"/$ and die and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:33
S41	0	die near (accept$4 reject$4) and camera same (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:35

S42	0	die near (accept$4 reject$4) and camera and (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:35
S43	3	die near (accept$4 reject$4) and (location position) same (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:37
S44	55	die near3 (accept$4 reject$4) and (location position) with (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:37
S45	7	"700"/$ and die near3 (accept$4 reject$4) and (location position) with (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:37
S46	7	"702"/$ and die near3 (accept$4 reject$4) and (location position) with (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:51
S47	4	"714"/$ and die near3 (accept$4 reject$4) and (location position) with (die strip) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:38
S48	7	"702"/$ and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:00
S49	7	"700"/$ and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:52
S50	4	"714"/$ and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 11:52

S51	55	(die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:01
S52	37	camera and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:01
S53	8	camera same (identifi$6 id code identity) and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:06
S54	0	camera with (identifi$6 id code identity) and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/10 12:02
S55	21	(identifi$6 id code identity) with (die dice) and (die dice) near3 (accept$4 reject$4) and (location position) with (die dice) and (database data near base) and (@ad<"20010227" @rlad<"20010227")	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2005/06/13 08:34